

AT-QAC-TC60L2-D

High Resolution IR Bullet camera

Main Features



- \Rightarrow 1/3" High Quality Image Sensor
- \Rightarrow 600 TVL High Resolution Camera
- ⇒ 0.01 lux @ F1.2
- ⇒ 3.6mm Lens
- ⇒ IR Range of 20 mtr with 24 LEDs
- \Rightarrow AGC, AWB and BLC
- \Rightarrow CE, FCC and RoHS Certified













| FEATURES | SPECIFICATION SPECIFICATION |
|-------------------------|---------------------------------|
| Image Sensor | 1/3" High Quality Image Sensor |
| Pixels | PAL:752H×582V NTSC:768H×494V |
| Resolution | 600 TVL |
| Min. Illumination | 0.01 lux @F1.2 |
| S/N Ratio | more than 50dB |
| Electronic Shutter | 1/50(60)-1/100,000sec |
| Flickerless Mode | Electrical |
| ris Control | Manual |
| Lens | 3.6mm |
| Gamma Correction | 0.45 |
| White Balance (AWB) | Auto |
| Gain Control (AGC) | Auto |
| Back Light Compensation | Auto |
| Day & Night(ICR) | Yes |
| IR | IR Range of 20 mtr with 24 LEDs |
| Sync | Internal Sync |
| Power Supply | DC 12V ± 5% |
| Power Consumption | DC12V,250mA |
| Dimension | 120mm(w)x70mm(h) |
| Weight | 230gms |
| Operating Temperature | -10~ +50℃ /30%~80%RH |
| Certifications | CE, FCC, RoHS |