

## HC-DM21

High Resolution Normal Dome Camera



### Main Features

- 1/3" Digital sensor
- 500 TVL High Resolution Camera
- 0.5lux @ F1.2
- 3.6 mm Lens
- AGC, AWB and BLC



| Feature                 | Specification                                |
|-------------------------|--|
| Image Sensor            | 1/3" Digital Image Sensor                    |
| Pixels                  | NTSC: 512 (H) X492 (V) PAL: 512 (H) X582 (V) |
| Resolution              | 500TVL                                       |
| Min. Illumination       | 0.5 lux                                      |
| S/N Ratio               | More than 50 dB                              |
| Electronic Shutter      | 1/60-1/100,000sec                            |
| Flickerless Mode        | Electrical                                   |
| Iris Control            | Manual                                       |
| Lens                    | 3.6 mm                                       |
| Gamma Correction        | 0.45   |
| White Balance (AWB)     | Auto   |
| Gain Control (AGC)      | Auto   |
| Back Light Compensation | Auto   |
| Sync                    | Internal Sync                                |
| Power Supply            | DC12V  |
| Power Consumption       | DC12V,250mA                                  |
| Weight                  | 150 gms                                      |
| Operating Temperature   | -10~ +50°C RH95% Max                         |