Honeywell

HD3, HD4, HDPR Housing Mounts

www.honeywellvideo.com

INDOOR/OUTDOOR FIXED MINIDOME MOUNTS

The HD3, HD4, and HDPR housing mounts can be used to install Honeywell's 3 and 4-Series fixed minidome cameras to a variety of surfaces. They provide a wide range of mounting options – to walls, ceilings, and a variety of indoor and outdoor surfaces.

The simple, solid design of these mounts is an installer's first choice for ease of installation. All wall and pendant mounts provide easy cable routing and the camera and lens can be installed, adjusted, and tested without repositioning the housing.

The HD4 and HDPR Series mounts feature die cast aluminum construction, except for the HDPR-WK2 which is aluminum. These mounts have a cool gray powder coating except for the HDPR-WK1 and HDPR-WK2 which have a charcoal gray powder coating. The HD3 Indoor Series mounts have polycarbonate construction with off white powder coating. Depending on the camera model, these mounts are designed for either outdoor or indoor applications. All are designed to perfectly complement the low profile, fixed minidome cameras, making them the obvious choice for architecturally sensitive installations.

Market Opportunities

The Honeywell HD3, HD4, and HDPR Series mounts provide performance and strength you can depend on. The attractive design, impact-resistant construction, and range of mounting options make these mounts the best solution for all your indoor and outdoor applications.

Features

Description	Camera Series		
	HD4	HDPR	HD3
Low profile, contemporary design	Х	Х	Х
Economically priced	Х	Х	Х
Cable feed through for ease of installation and camera setup	Х	х	Х
Concealed wiring	Х	X*	
Die cast aluminum construction	Х	X**	
Polycarbonate construction			Х
Cool gray powder finish	Х	X**	
Off white powder finish			Х
• Indoor			Х
Indoor/outdoor	Х	Х	

^{*}HDPR-WK2 will not conceal wiring.







HD4CHIP-PK



HDPR-WK



HDPR-PK



HDPR-WK1




HDPR-WK2


^{**}HDPR-WK1 is die cast aluminum, the HDPR-WK2 is aluminum; both with a charcoal gray powder coating.


SPECIFICATIONS

HD3-MK1





HD4CHIP-WK






HD4CHIP-PK







SPECIFICATIONS


HDPR-WK







HDPR-PK







HDPR-WK1





HDPR-WK2





SPECIFICATIONS

Mechanical				
Model No.	Weight	Construction / Finish	Dimensions	
HD3-MK1	0.18 lb. (0.08 kg)	Polycarbonate / Off White powder coating	3.82" x 6.06" x 4.76" (97.0 mm x 154.0 mm x 121.0 mm)	
HD4CHIP-WK	1.34 lb. (0.61 kg)	Die cast aluminum / Cool Gray powder coating	5.48" x 8.78" x 4.65" (139.3 mm x 223.1 mm x 118.0 mm)	
HD4CHIP-PK	0.82 lb. (0.37 kg)	Die cast aluminum / Cool Gray powder coating	1.82" x 6.49" (46.2 mm x 164.7 mm)	
HDPR-WK	2.16 lb. (1.0 kg)	Die cast aluminum / Cool Gray powder coating	11.57" x 5.81" x 6.25" (base) (293.8 mm x 147.5 mm x 75.7 mm)	
HDPR-PK	1.1 lb. (0.5 kg)	Die cast aluminum / Cool Gray powder coating	2.95" x 5.69" (75.0 mm x 144.5 mm)	
HDPR-WK1	1.57 lb. (0.715 kg)	Die cast aluminum / Charcoal Gray powder coating	10.58" x 5.69" x 3.09" (base) (268.8 mm x 144.6 mm x 78.5 mm)	
HDPR-WK2	0.5 lb. (0.25 kg)	Aluminum / Charcoal Gray powder coating	5.64" x 2.36" x 4.98" (143.2 mm x 60.0 mm x 126.4 mm)	

Camera Housing Mount	Mount to Camera Models
HD3-MK1	HD3CHS(X) HD3D(X) HD3MWIH(X) HD3HDIH(X) HD3MDIH(X) HD3MDIP(X) HD44IP(X) HD45IP(X)
HD4CHIP-WK HD4CHIP-PK	HD4DIRS(X) HD4D3S(X) HD4D9S(X) HD4DAFS(X) HD4DAFS(X) HD4DAFS(X) HD4MDIH(X) HD4MWIH(X) HD4HDIH(X) HD4MDIP(X) HD55IP(X)
HDPR-WK HDPR-PK	HD51P(X) HD70P(X) HD73P(X) HD273(X)
HDPR-WK1	HD251(X)
HDPR-WK2	HD262(X) HD41(X)

Ordering	
HD3-MK1	Pendant/Wall Mount Kit, 7.5 lb. (3.5 kg) Max Load, Off White
HD4CHIP-WK	Wall Mount, 15 lb. (7 kg) Max Load, Cool Gray
HD4CHIP-PK	Pendant Mount, 15 lb. (7 kg) Max Load, Cool Gray
HDPR-WK	Wall Mount, 15 lb. (7 kg) Max Load, Cool Gray
HDPR-PK	Pendant/Ceiling Mount, 15 lb. (7 kg) Max Load, Cool Gray
HDPR-WK1	Wall Mount, 7.5 lb. (3.5 kg) Max Load, Charcoal Gray
HDPR-WK2	Pendant/Ceiling Mount, 15 lb. (7 kg) Max Load, Charcoal Gray

NOTE: Honeywell reserves the right, without notification, to make changes in product design or specifications.

Automation and Control Solutions

Honeywell Security Products Americas 2700 Blankenbaker Pkwy, Suite 150 Louisville, KY 40299 1.800.323.4576 www.honeywell.com

